

WEST

Generate Collection

L2: Entry 1 of 6

File: USPT

Jun 27, 2000

DOCUMENT-IDENTIFIER: US 6080578 A

TITLE: Cytopathic adenoviral E1B mutated viruses for therapy and prophylaxis of neoplasia

BSPR:

In an alternative embodiment of the invention, a recombinant adenovirus comprising an E1a locus encoding an E1a protein (e.g., p289R or p243R) that is substantially incapable of forming a complex with RB protein in infected cells is administered to an individual or cell population comprising a neoplastic cell capable of being infected by the recombinant adenovirus. The substantial incapacity of the recombinant adenovirus to effectively sequester RB protein in infected non-neoplastic cells results in the introduced recombinant adenoviral polynucleotide(s) failing to express a replication phenotype in non-neoplastic cells. By contrast, neoplastic cells which lack a functional RB protein support expression of a replication phenotype by the introduced recombinant adenovirus which leads to ablation of the neoplastic cell by an adenoviral cytopathic effect and/or expression of a negative selection gene linked to the replication phenotype. In preferred variations of these embodiments, the recombinant adenovirus comprises an E1a locus encoding a mutant E1a protein (e.g., p289R) that lacks a CR1 and/or CR2 domain capable of binding RB (and/or the 300kD polypeptide and/or the 107kD polypeptide) but comprises a functional CR3 domain capable of transactivation of adenoviral early genes. Additional variations of these embodiments include those where the recombinant adenovirus comprises a nonfunctional E1a locus which is substantially incapable of expressing a protein that binds to and inactivates RB and may optionally also comprise a functional p19 protein (i.e., capable of stimulating expression of adenoviral early region genes in the absence of E1a function). Recombinant adenoviruses of the invention may further comprise a mutant p19 gene which produces enhanced cytopathic effects; such a mutant known in the art is the p19 cyt mutant gene.

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
adenovirus same RB near5 CR2	6

Database:

US Patents Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Refine Search:

adenovirus same RB near5 CR2

[Clear](#)**Search History****Today's Date:** 9/1/2000

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	adenovirus same RB near5 CR2	6	<u>L2</u>
USPT	adenovirus same E1 near5 deletion same RB near5 CR2	0	<u>L1</u>